

rgonomic desi

connectwell

Hard - impact resistant core

Handy hole for hanging ..

Material 1

Specially formulated hard material prevents blades from turning.


Handles are injection moulded around blades for maximum strength and durability.

Material 2

Soft TPE material, specially formulated for best torque transmission. It has an integrated diamond pattern area for better hand grip and air ventilation between the hand and the handle.

Material 3

Specially formulated reinforced material, impact resistant even at lower temperatures to prevent handle damage.



Soft TPE overmould

Large turning area with axial recesses

Axial slip-off protection

Tri-Molded **PROFESSIONAL Screwdrivers**





Permanent laser etching

Dimension

Symbol

Bright finish, deep matt nickel-chrome plated for best protection

Kraftip® SUPER best tip protection Kraftip® PLUS

face, edge and tip are precisely CNC-machined against corrosion & for EXACT tolerances





Electrician's Screwdrivers


Application: for slotted screws

round blade, high-grade chrome-vanadium-Blade type:

molybdenum steel, chrome plated

Tip: Kraftip Plus black tip, ISO 2380-1

Handle: Three component handle, Kraftgrip 50000R



ISO 2380

Cat. No.	EAN	= *	•	Α	В	С	→●←	Pack Pcs.
SCS0.5/3	6	0.5	3.0	100	85	185	3.0	10
SCS0.6/3.5	3	0.6	3.5	100	85	185	3.5	10
SCS0.8/4	0	8.0	4.0	125	85	210	4.0	10
SCS1/5.5	7	1.0	5.5	150	100	250	5.5	10





Socket wrench-NUT DRIVER

Application: for hexagon headed screws,

bolts and nuts


DIN 3125

round blade, with deep hexagonal socket, Blade type:

high-grade chrome-vanadium-molybdenum steel,

chrome plated

Handle: Three component handle, Kraftgrip 50000



Cat. No.	EAN			Α	В	С	→●←	Pack Pcs.
SCNT4	0	SW	4	125	100	225	6	10
SCNT5	7	SW	5	125	100	225	6	10
SCNT6	1	SW	6	125	110	235	6	10












Electrician's Screwdrivers Insulated

Application: for slotted screws EN 60900:2004

round blade, insulated high-grade chrome-Blade type: vanadium-molybdenum steel, black finish

Tip: Kraftip Plus black tip, ISO 2380-1

Handle: Three component handle, Kraftgrip 50000R



Cat. No.	EAN	*	•	Α	В	С	>●←	Pack Pcs.
SCS0.5/3I	3	0.5	3.0	100	85	185	3.0	10
SCS0.6/3.5I	0	0.6	3.5	100	85	185	3.0	10
SCS0.8/4I	7	8.0	4.0	100	85	185	3.5	10
SCS1/5.5I	4	1.0	5.5	125	100	225	5.0	10




Phillips Screwdrivers

Application: for Phillips Recess screws ISO 8764

round blade, high-grade chrome-vanadium-Blade type: molybdenum steel, chrome plated

Tip: Kraftip Plus black tip, ISO 8764-1

Handle: Three component handle, Kraftgrip 50000R



Cat. No.	EAN	4		Α	В	С	>●←	Pack Pcs.
SCPH1	5	PH	1	80	100	180	4.5	10
SCPH2	2	PH	2	100	110	210	6.0	10










Phillips Screwdrivers Insulated

Application: for Phillips Recess screws EN 60900:2004

round blade insulated, high-grade chrome-Blade type: vanadium-molybdenum steel, black finish

Tip: Kraftip Plus black tip, ISO 8764-1

Handle: Three component handle, Kraftgrip 50000R



Cat. No.	EAN	+		Α	В	С	>●←	Pack Pcs.
SCPH2I	2	PH	2	100	110	210	6.0	10

