

# for Complete removal of stubborn dirt & residue



Ultrasonic  
Cleaners  
from  
**ELECTROSONIC  
INDUSTRIES** are  
indigenously  
manufactured to high  
international specifications  
and are backed by over thirty  
years of experience & ready  
acceptance by professionals from a  
wide range of industries for their varied  
needs.

Available in various standard capacities and also  
custom made as per clients<sup>1</sup> requirements, they achieve upto 100% efficiency  
& are dependable for all kinds of cleaning requirements. They are backed by  
efficient technical support & prompt service in the rare case that it is required.

**ELECTROSONIC**



**INDUSTRIES**



## **LARGE CAPACITY CLEANERS -**

(90 LITER TO 200 LITERS)

Specially suited for Large industries with high rate of production, bigger parts, compressor parts etc. And big hospitals where large number of instruments are handled in operation theatres.

## ULTRASONIC CLEANERS - STANDARD MODELS (SINGLE CHAMBER)

Sr.No.	Model	Tank Size (clear) in mm	Capacity in liters	Ultrasonic Power in Watts(AV)	Generator	Heater in KW
1.	EI-0.5L	150x85x65	0.5	40	Built-in	-
2.	EI-1L	150x140x65	1	45	Built-in	-
3.	EI-2LH	240x140x65	2(1.8)	50	Built-in	0.060
4.	EI-2.5LH	240x140x100	2.25	60	Built-in	0.040
5.	EI-5LH	240x140x150	3.5	100	Built-in	0.060
6.	EI-6LH	250x150x150	6	120	Separate	0.40
7.	EI-250H	300x200x175	10.5	250	Separate	0.60
8.	EI-500H	400x300x250	30	500	Separate	1.5
9.	EI-750H	500x350x300	52	750	Separate	3.0
10.	EI-1000H	600x400x375	90	1000	Separate	4.5
11.	EI-1500H	750x450x400	135	1500	Separate	6.0
12.	EI-2000H	900x500x400	180	2000	Separate	6.0

### SALIENT FEATURES

1. Material of Construction: SS304/316,16/18 gauge {Cleaning Tank}
2. Thermostatic Temp.Control.
3. Powder coated MS cabinet with excellent finish.
4. Timer of 15 mins. in integral units. (Built-in)
5. Solid State Ultrasonic Generator,
6. Ultrasonic frequency: 30 +/-3 KHz.
7. Transducers: PZTtype transducers using weldbond technology.

### SALIENT FEATURES

1. Timer-Mechanical or Digital.
2. Digital Temp. Indicator Controller.
3. Tank cover of SS 304.
4. Integral Units for high wattage models with SS / MS cabinet.
5. Side mounted transducers for special applications.
6. Level switch.
7. SS Baskets.

**Custom Designed Multichamber Units - Soak, Clean, Rinse, Drier etc. as per specifications.**



# ELECTROSONIC



# INDUSTRIES

327, RAM GOPAL IND. ESTATE, DR. R. P. ROAD, MULUND (W), MLJMBAI - 400 080

© : 022-67989744 • TELEAX : 022-25606027

E-mail : [sonicleaner@yahoo.com](mailto:sonicleaner@yahoo.com) Website : [www.sonicleaner.com](http://www.sonicleaner.com)