

# for Complete removal of stubborn dirt & residue



Ultrasonic  
Cleaners  
from  
**ELECTROSONIC  
INDUSTRIES** are  
indigenously  
manufactured to high  
international specifications  
and are backed by over thirty  
years of experience & ready  
acceptance by professionals from a  
wide range of industries for their varied  
needs.

Available in various standard capacities and also  
custom made as per clients<sup>1</sup> requirements, they achieve upto 100% efficiency  
& are dependable for all kinds of cleaning requirements. They are backed by  
efficient technical support & prompt service in the rare case that it is required.

**ELECTROSONIC**



**INDUSTRIES**



## **CUSTOM DESIGNED UNITS -**

### **TO SUIT INDIVIDUAL NEEDS**

Specially designed units to suit customer needs with critical application, high intensity units for intricate parts. Addition of dunking, spraying to enhance the process as options.

## ULTRASONIC CLEANERS - STANDARD MODELS (SINGLE CHAMBER)

Sr.No.	Model	Tank Size (clear) in mm	Capacity in liters	Ultrasonic Power in Watts(AV)	Generator	Heater in KW
1.	EI-0.5L	150x85x65	0.5	40	Built-in	-
2.	EI-1L	150x140x65	1	45	Built-in	-
3.	EI-2LH	240x140x65	2(1.8)	50	Built-in	0.060
4.	EI-2.5LH	240x140x100	2.25	60	Built-in	0.040
5.	EI-5LH	240x140x150	3.5	100	Built-in	0.060
6.	EI-6LH	250x150x150	6	120	Separate	0.40
7.	EI-250H	300x200x175	10.5	250	Separate	0.60
8.	EI-500H	400x300x250	30	500	Separate	1.5
9.	EI-750H	500x350x300	52	750	Separate	3.0
10.	EI-1000H	600x400x375	90	1000	Separate	4.5
11.	EI-1500H	750x450x400	135	1500	Separate	6.0
12.	EI-2000H	900x500x400	180	2000	Separate	6.0

### SALIENT FEATURES

1. Material of Construction: SS304/316, 16/18 gauge {Cleaning Tank}
2. Thermostatic Temp. Control.
3. Powder coated MS cabinet with excellent finish.
4. Timer of 15 mins. in integral units. (Built-in)
5. Solid State Ultrasonic Generator,
6. Ultrasonic frequency: 30 +/- 3 KHz.
7. Transducers: PZT type transducers using weldbond technology.

### SALIENT FEATURES

1. Timer-Mechanical or Digital.
2. Digital Temp. Indicator Controller.
3. Tank cover of SS 304.
4. Integral Units for high wattage models with SS / MS cabinet.
5. Side mounted transducers for special applications.
6. Level switch.
7. SS Baskets.

**Custom Designed Multichamber Units - Soak, Clean. Rinse, Drier etc. as per specifications.**



# ELECTROSONIC



# INDUSTRIES

327, RAM GOPAL IND. ESTATE, DR. R. P. ROAD, MULUND (W), MUMBAI - 400 080

© : 022-67989744 • TELEAX : 022-25606027

E-mail : [sonicleaner@yahoo.com](mailto:sonicleaner@yahoo.com) Website : [www.sonicleaner.com](http://www.sonicleaner.com)